

2007-01-01

## Transfer function modelling: a student-centred learning approach

Aidan O'Dwyer

*Technological University Dublin*, [aidan.odwyer@tudublin.ie](mailto:aidan.odwyer@tudublin.ie)

Follow this and additional works at: <https://arrow.tudublin.ie/engscheleart>



Part of the [Biomedical Engineering and Bioengineering Commons](#)

---

### Recommended Citation

O'Dwyer, Aidan : Transfer function modelling: a student-centred learning approach. Proceedings of the International Symposium for Engineering Education (ISEE-07), pp. 195-2007, Dublin City University. doi:10.21427/tzmp-4j72

This Conference Paper is brought to you for free and open access by the School of Electrical and Electronic Engineering at ARROW@TU Dublin. It has been accepted for inclusion in Conference papers by an authorized administrator of ARROW@TU Dublin. For more information, please contact [arrow.admin@tudublin.ie](mailto:arrow.admin@tudublin.ie), [aisling.coyne@tudublin.ie](mailto:aisling.coyne@tudublin.ie).



This work is licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 4.0 License](#)

# TRANSFER FUNCTION MODELLING: A STUDENT-CENTRED LEARNING APPROACH

Aidan O'Dwyer,

School of Control Systems and Electrical Engineering, DIT, Kevin St., Dublin 8.

## ABSTRACT

Traditionally, the modelling of real systems in engineering, using transfer functions, has been done in a mathematically intense manner. However, non-traditional learners such as mature students, part-time students and students without a conventional second-level educational background may not have strong mathematical foundations; in addition, all students increasingly expect technical work which is practical and which motivates independent learning. This paper reports on, reflects on and evaluates an innovative experiment developed by the author to estimate a transfer function model of a person's eye-brain-hand motor response. In the experiment, carried out using a PC with data acquisition capability, the person is successively asked to track, with a mouse, ten sine wave signals at different frequencies on a computer screen. Based on an average of the data recorded, the person's eye-brain-hand motor response in the frequency domain is recorded (and may be summarised on a *Bode plot*). Subsequently, the parameters of a single input, single output (SISO) process model may be determined, using the analytical technique developed by O'Dwyer [1].

## INTRODUCTION

Significant effort has been devoted to determining a model for the human motor response. Early work is reported in [2]-[4]. Extensive work on modelling of neurological control systems is presented by Stark [5]; in elegant experiments, the author determines, for example, frequency response plots for the dynamic characteristics of the human motor co-ordination system and frequency response plots of the control system of the human hand. In other work in the frequency domain, Gittleman *et al.* [6] developed transfer functions for human tracking response based on a one-dimensional, sine wave tracking experiment. A joystick is used to allow tracking of the sine wave. In a wider discussion of the measurement of sensory-motor control performance capacities, Jones [7] suggests that the use of sinusoidal tracking signals is valuable for the study of the human frequency response; in particular, the "periodicity, constancy of task complexity (over cycles) and spectral purity of sine targets" are useful for detecting changes in performance (such as learning or lapses in concentration) within an experimental run. A number of references are quoted.

The experimental work reported in this paper has been inspired primarily by the work of Stark [4] and Gittleman *et al.* [6]. As an alternative to the use of a joystick (in [6]), it has been decided to track sine waves, at different frequencies, on a computer screen using the PC mouse. The subsequent transfer function models, deduced from the frequency response data, have been developed using an analytical method [1]. The analytical method is based on direct calculation of the parameters from the frequency response, using simultaneous equations.

## EXPERIMENTAL DETAILS

The experiment is carried out using a personal computer with a data acquisition card and suitable software (MATLAB/SIMULINK and HUMUSOFT) to record the input sine wave (generated in

SIMULINK) and the person's tracking sine wave. The person is requested to track, with a mouse, ten sine wave signals at frequencies from 0.1 Hz to 1 Hz, in steps of 0.1 Hz, on a computer screen. Six cycles of the sine wave are tracked at any one frequency. A typical example of one sine wave input signal (at a frequency of 0.1 Hz), and a person's tracking attempt, is shown in Figure 1. As expected, subjects tended to have little difficulty in tracking such slow signals; as the frequency of the input signal increased, tracking difficulties also increased.




Figure 1: Typical tracking attempt

The magnitude (i.e. the ratio of the amplitude of the output and input signals) and the phase difference between the output and input signals (labelled as phase 1, phase 2 etc. on Figure 1), were recorded at the ten individual frequencies. Based on an average of the magnitudes and phase differences recorded, a *Bode plot* is drawn from the data, and a transfer function for the motor response is developed from the plotted data. Specifically, the amplitude is taken over an average of four cycles, ignoring data from the first and last cycle. The phase is taken as the average of the four phases indicated in Figure 1; again, the early recorded data is ignored. Such early data tends to be less reliable, as experience had shown that the user needs a short time to adjust to the frequency of the input signal.

## EXPERIMENTAL RESULTS

A series of experimental results have been collated. Altogether, since the experiment was developed, seventy-six sets of data have been gathered. Some of these sets of data have had to be excluded from the analysis, as, despite instructions to track the data after it becomes visible on the screen, in some cases subjects predicted the very regular sine wave input. Further work is required on the algorithm to minimise this problem.

After the data mentioned above was excluded, 54 data sets remained. Data was gathered when tracking was done with both the dominant and non-dominant hand. The data gathered can be classified as follows:

1. Data gathered in May 1999 from a 36 year old male (myself). Three sets of data were gathered for the dominant hand and two sets of data was gathered for the non-dominant hand.
2. Data gathered in January 2006, in the early morning and late evening, from a 42 year old male (myself). Fourteen sets of data were gathered for the dominant hand and thirteen sets of data was gathered for the non-dominant hand.
3. Data gathered from May 1999 to January 2006 from both male and female students, with a typical age of 21 years. Twenty sets of data were gathered for the dominant hand and six sets of data was gathered for the non-dominant hand.
4. Data gathered in May 1999 from an older group of subjects. This is non-dominant hand data.

Figure 2 shows the Bode plot of all the data gathered. Magnitude is measured in decibels (dB) with phase measured in degrees. Table 1 gives the average data, at angular frequency  $\omega$  (phase  $\phi_p$  is measured in radians and magnitude  $|G_p|$  is recorded in non-decibel format).




Figure 2: Bode plot of all the data gathered

$\omega$ (rads/s)	0.68	1.30	1.90	2.56	3.14	3.81	4.33	5.03	5.70	6.28
$\phi_p$ (rads)	-0.20	-0.39	-0.55	-0.66	-0.87	-1.08	-1.25	-1.55	-1.82	-2.03
$ G_p $	1.02	1.01	1.00	1.02	1.01	1.01	1.00	1.01	1.01	0.99

Table 1: Average of the data

It should be noted that the resolution possible on the phase varies with frequency, as the sample time of 0.05 seconds used to gather the data is the minimum possible with the data acquisition card and software used. The resolution on the phase is 0.031 radians at  $\omega = 0.68$  rads/s, rising

linearly to 0.314 radians at  $\omega = 6.28$  rads/s. As phase varies almost linearly with frequency, the resolution in phase as a percentage of the phase recorded is approximately constant at 16%.

On application of the analytical method of transfer function determination [1], it was discovered that, on average, that the data could be modelled by a gain term,  $K_m$  (which depends on the magnitude), and a reaction time delay term,  $\tau_m$  (which depends on the phase). In addition, as Table 1 reveals,  $K_m$  is approximately 1, even at higher frequencies. This means that subjects tend to be able to track the amplitude of the sine wave accurately. Thus, overall, the data may be summarised by a delay term, which may be determined as 0.30 seconds. After adjusting for the sample time of 0.05 seconds, the average eye-brain-hand motor response reaction time is recorded as 0.25 seconds.

Table 2 summarises results obtained from a more detailed analysis of the data. The delay determined could be expected to have a maximum inaccuracy of 16%.

<i>Condition</i>	<i>Delay determined</i>
Average of all data gathered	0.25 s
Average, dominant hand data, male/female students, May 1999 – Jan. 2006	0.14 s
Average, dominant hand data, 22 year old male (William), May 1999	0.16 s
Average, dominant hand data, 36 year old male (myself), May 1999	0.20 s
Average, dominant hand data, 42 year old male (myself), January 2006	0.32 s
Average, non-dominant hand data, 22 year old male (William), May 1999	0.19 s
Average, non-dominant hand data, male/female students, May 99 – Jan. 06	0.20 s
Average, non-dominant hand data, 42 year old male (myself), January 2006	0.41 s

Table 2: Summary of results obtained

Clearly, the delay recorded, on average, increases with age; on average, there is also an increase in reaction time required if the non-dominant hand is used. Both of these results are intuitively expected. Other results showed that there were no significant differences in reaction times recorded when

- Data was gathered in the morning (07:55-12:11) versus data being gathered in the late evening (20:00-21:20);
- Data was gathered from male and female students and compared.

## **PEDAGOGICAL ISSUES**

Since its development in 1999, this experiment has been carried out by students taking a control engineering option in the programmes in electrical/electronic engineering at DIT. Traditionally, the modelling of real systems in engineering, using transfer functions, has been done in a mathematically intense manner. However, non-traditional learners such as mature students, part-time students and students without a conventional second-level educational background may not have strong mathematical foundations; in addition, all students increasingly expect technical work which is practical and which motivates independent learning. The author has found that

students are enthusiastic about the experiment and frequently spend over the allocated time on aspects of it.

The following questionnaire was distributed to a group of students performing the experiment in the 2005-6 academic year, to get formal feedback on their experiences with the experiment.

*Please answer the following questions. To answer each question, please write a number between 1 and 5, with*

*5 - strongly agree*

*4 – agree*

*3 – unsure*

*2 – disagree*

*1 – strongly disagree*

- 1. The work was a beneficial learning experience (compared to other exercises)*
- 2. The work is user-friendly*
- 3. The work complements and enhances my understanding of lecture material*
- 4. The work is fun and sustained my interest*
- 5. I became more interested in the material because of this work*
- 6. There is enough time to perform the work*
- 7. I would recommend this work to others*
- 8. Any other comments*

When the feedback was analysed, students agreed with the statements that:

- *The work was a beneficial learning experience (compared to other exercises)*  
– average number: 4.3
- *The work is user-friendly* – average number: 4.2
- *The work complements and enhances my understanding of lecture material*  
– average number: 4.5
- *The work is fun and sustained my interest* – average number: 4.5
- *I became more interested in the material because of this work* – average number: 4.0
- *I would recommend this work to others* – average number: 4.3

Students were unsure about the statement that *There is enough time to perform the work* (average number: 3.0).

Overall, student feedback is encouraging; the reasons for this, in the author's opinion, are

- The experiment provides direct feedback to the user on the PC screen;
- The experiment is not excessively time-consuming; a typical experiment time to gather one set of data, at 10 frequencies, is 10 minutes;
- A competitive edge among (typically, male) students is frequently observed, with a desire to have the shortest reaction time;
- A motivational aspect for some students is the application of the idea in biomedical engineering, possibly in the diagnosis of some motor response disorders; as the experiment provides direct feedback to the user on the PC screen, it lends itself to providing motivation to a person attempting to regain motor function after a neurological setback, such as a stroke.

However, the experiment is somewhat tedious to carry out because of its repetitive nature. In addition, as mentioned, it is possible for subjects to predict, rather than track, the very regular sine wave inputs.

## CONCLUSIONS AND FURTHER WORK

The paper reports on the estimation of a simple transfer function model of a person's eye-brain-hand motor response, using an innovative experiment. The data from the experiment may be analysed by the students to determine the transfer function model (for those students with the required mathematical foundations). Alternatively, for students without such foundations, the data may be imported into a programme written by the author in MATLAB and the transfer function model results. The experiment is practical, though somewhat tedious to carry out. For future work, the use of a less predictable alternative to the sine wave signal would be desirable.

Acknowledgements: I am indebted to the students and staff who enthusiastically helped me test the method. I particularly acknowledge the role of Mr. William Corcoran; we worked together on this project in 1999, when William was in the final year of his electrical engineering degree studies.

## REFERENCES

1. O'Dwyer, A., Transactions of the Institute of Measurement and Control, 2002, Vol. 24, Issue 4, p277-288.
2. Bates, J.A.V., Journal of the IEE, 1947, Vol. 94, Issue 2a, p298-304.
3. Tustin, A., Journal of the IEE, 1947, Vol. 94, Issue 2a, p190-202.
4. Graebe, E.M., Ramo, S. and Woolridge, D.E. (Editors), Handbook of automation, computation and control. Vol. 3: Systems and Components, John Wiley and Sons, 1961, p2-11 to 2-12.
5. Stark, L., Neurological control systems: Studies in Bioengineering, Plenum Press, New York, 1968.
6. Gittleman, B., Dwan, T.E. and Smiley, C.S., IEEE Transactions on Education, 1992, Vol. 35, p31-37.
7. Jones, R.D., The Biomedical Engineering Handbook, Editor: J.D. Bronzino, CRC/IEEE Press, 1995, p2447-2458.